Universitat Politècnica de València

Departamento de Comunicaciones

Broadband Internetworking Research Group

UNIVERSITAT
POLITÈCNICA
DE VALÈNCIA

Ph.D. Dissertation

«Design and Performance Analysis of Access Control Mechanisms for Massive Machine-to-Machine Communications in Wireless Cellular Networks»

Author: Luis Tello-Oquendo

Advisors: Prof. Vicent Pla
Prof. Jorge Martinez-Bauset

Valencia
July 2018

Contents

List of Acronyms xxiii

List of Figures xxvii

List of Tables xxxiii

1 Introduction 1

1.1 Dissertation objectives 5

1.2 Dissertation structure 6

2 Performance Analysis of the Random Access Channel and Optimal Access Class Barring Parameter Configuration 9

2.1 Introduction 9

2.2 Motivation and related work 12

2.3 Random access in LTE-A 14

2.3.1 Contention-based random access procedure 16

2.3.2 RACH capacity 21

2.3.3 Access class barring 24

2.4 RACH evaluation 26

2.4.1 Simulation assumptions, PRACH configuration, and performance metrics . . . 27
2.4.2 Collision Model . . . 29
2.5 Performance analysis of LTE-A . . . 31
2.5.1 Impact of increasing the number of available preambles 33
2.5.2 Impact of modifying the backoff scheme . . . 34
2.5.3 Impact of modifying the maximum number of preamble transmissions . . . 35
2.6 Performance analysis of ACB . . . 38
2.6.1 Optimal ACB parameter configuration . . . 44
2.7 Highlights . . . 47

3 Dynamic ACB Algorithms for Efficient Congestion Control 49
3.1 Introduction . . . 49
3.2 Motivation and related work . . . 51
3.3 Reinforcement learning approach . . . 52
3.3.1 Performance evaluation . . . 56
3.4 Estimating the number of UEs in backoff state approach . . . 63
3.4.1 Estimation of the number of UEs in backoff state . . . 63
3.4.2 Dynamic barring rate tuning . . . 69
3.4.3 Performance evaluation . . . 71
3.5 Highlights . . . 78

4 SDN-based Architecture for Reliable IoT Connectivity within 5G Systems 79
4.1 Introduction . . . 79
4.2 Motivation and related work . . . 81

4.3 SoftAir architecture for 5G IoT 82
4.3.1 System model 84
4.4 Heterogeneous cross-layer solution for software-defined gateway 85
4.4.1 IoT & WSN network 85
4.4.2 5G radio access network: SoftAir 90
4.4.3 Optimization framework 94
4.4.4 Protocol operation 100
4.5 Performance evaluation 101
4.6 Highlights 105

5 Performance Analysis of Wireless Cellular Networks based on Time-Scale Separation 107
5.1 Introduction 107
5.2 Motivation and related work 109
5.3 Wireless networks description and modeling 110
5.3.1 Cognitive radio network 110
5.3.2 Integrated service network 112
5.4 Approximate solution methods 114
5.4.1 Quasi-stationary approximation 115
5.4.2 Generalized quasi-stationary approximation 116
5.4.3 Iterative aggregation/disaggregation approximation . . 117
5.5 Absorbing Markov chain approximation 118
5.5.1 Approximation method 118
5.6 Numerical evaluation and results 122
5.6.1 Behavior of the approximation methods when the separation of time scales varies 124

5.6.2 Trade-off between accuracy and computational cost . . . 127
5.7 Highlights . . . 131

6 Conclusions and Future Perspectives **133**

Appendices **141**

A Notations **141**

B Math expressions and derivations **143**
B.1 RACH Capacity: Approximations and Bounds . . . 143
B.2 Joint PDF of the Number of Successful and Collided Preamble Transmissions . . . 144
B.2.1 Closed-Form Expression . . . 145
B.2.2 Recursion . . . 149
B.3 Phase-Type Distribution . . . 150

C Publications **151**
C.1 Related with this dissertation . . . 151
C.1.1 Journal . . . 151
C.1.2 International conferences . . . 152
C.2 Other publications . . . 154
C.2.1 Journal . . . 154
C.2.2 International conferences . . . 154
C.2.3 National conferences . . . 155

D Research projects **157**

Bibliography **159**