

GENERAL INDEX

1. Introduction	1
1.1 Ephemeral streams	2
1.2 Permanent streams and riparian forest.....	3
1.3 General characteristics of riparian vegetation in relation to the biogeomorphological succession	4
1.4 Objectives and structure of the thesis	6
1.5 References.....	9
2. Combining SfM photogrammetry and Terrestrial Laser Scanning to assess event-scale sediment budgets along a gravel-bed ephemeral stream.....	15
2.1 Introduction.....	16
2.2 Study area and field surveys	17
2.3 Materials and Methods.....	19
2.3.1. SfM-MVS photogrammetry	19
2.3.2. Terrestrial Laser Scanning (TLS).....	20
2.3.3. Criteria for the selection of reference channel reaches (RCR), pilot bed survey areas (PBSA), and representative geomorphic units (RGU)	21
2.3.4 Hydrometeorological and hydraulic data	22
2.3.5 Sediment budget calculation and detection of RGU adjustments	24
2.4 Results and discussion	25
2.4.1 Stream power maps	25
2.4.2 Spatial sediment budgets and morphological changes along RCR and PBSA	27
2.4.3 Sediment budgets for different RGU in relation to stream power data and field surveys.....	35
2.5 Conclusions.....	41
2.6 References.....	43
3. Changes in stream power and morphological adjustments at the event-scale and high spatial resolution along an ephemeral gravel-bed channel	48
3.1 Introduction.....	49
3.2 Study area and environmental setting	50
3.3 Materials and methods	52

3.3.1. Changes in ground elevation and sediment budgets derived from VHR MDT datasets	53
3.3.2. Rainfall-runoff method and hydraulic modeling.....	56
3.3.3. Mapping spatial changes in stream power during peak discharges	56
3.3.4 Relative bed stability indices and transport efficiency.....	58
3.3.5. Relationships of stream power with sediment budget and bed stability	59
3.3.6. Assessment of bed elevation profiles using channel central and lateral lines	60
3.4 Results and discussion	60
3.4.1. Morphological sediment budgets at very high spatial resolution.....	60
3.4.2. Changes in the bed elevation profiles determined using VHR DTM	65
3.4.3. Stream power maps and relationships.....	69
3.4.4. Stream power variations versus changes in bed stability	74
3.4.5 Sediment budgets and fluxes versus stream power.....	78
3.5 Conclusions.....	84
3.6 References.....	87

4. Spatial validation of submerged fluvial topographic models by mesohabitat units 92

4.1 Introduction.....	93
4.2 Methods	95
4.2.1 Study site	95
4.2.2 Data acquisition.....	96
4.2.3 Image and Data Processing	97
4.2.4 Refraction correction.....	99
4.2.5 Validation	103
4.3 Results.....	104
4.3.1 Performance of our method: methods (a) and (b)	105
4.3.2 Comparison with point cloud roughness: method (c)	108
4.4 Discussion	110
4.5 Conclusion	114
4.6 References.....	115

5. Classification of riparian vegetation types based on supervised classification algorithms. A case study in the Serpis River (Valencia)..... 121

5.1 Introduction.....	122
5.2 Methods	124

5.2.1 Study area.....	124
5.2.2 Classification of vegetation in succession phases.....	125
5.2.3 Data acquisition.....	127
5.2.4 Calibration of supervised classification models.....	130
5.2.5 Validation of supervised classification models.....	132
5.2.6 Stepwise procedure to select the optimal number of classes	133
5.2.7 Application of the selected model in an additional study area.....	133
5.3 Results.....	134
5.3.1 Calibration.....	134
5.3.2 Validation	139
5.3.3 Application of the selected model in an additional study area.....	145
5.4 Discussion.....	146
5.5 Conclusions.....	151
5.6 References.....	152
6. Conclusions.....	160
7. Future lines of research	162