

# Contents

## Chapter 1: Introduction .....1

<u>1.1</u>	<u>Introduction.....</u>	3
<u>1.2</u>	<u>General Context.....</u>	3
<u>1.3</u>	<u>Background .....</u>	6
<u>1.4</u>	<u>Objectives and methodology.....</u>	8
<u>1.5</u>	<u>Thesis outline.....</u>	10
	<u>References.....</u>	13

## Chapter 2: Spray development and combustion process in compression ignition engines .....17

<u>2.1</u>	<u>Introduction.....</u>	19
<u>2.2</u>	<u>Conventional Diesel Combustion .....</u>	19
<u>2.3</u>	<u>Low Temperature Combustion (LTC) .....</u>	23
<u>2.4</u>	<u>Alternatives fuels with high potential for different combustion modes.....</u>	26
2.4.1	<u>Natural Gas (NG) .....</u>	28
2.4.2	<u>Biodiesel .....</u>	30
2.4.3	<u>Hydrotreated Vegetable Oil (HVO) .....</u>	31
2.4.4	<u>Alcohols fuels .....</u>	32
2.4.5	<u>Dimethyl Ether (DME).....</u>	33
2.4.6	<u>Oxymethylene ethers (OME<sub>n</sub>) .....</u>	35
2.4.7	<u>Renewable Hydrogen .....</u>	36
<u>2.5</u>	<u>Summary .....</u>	37

<u>References</u> .....	39
-------------------------	----

## **Chapter 3: Experimental facilities and optical techniques**

.....	47
-------	----

<u>3.1 Introduction</u> .....	49
-------------------------------	----

<u>3.2 Experimental facilities</u> .....	49
--	----

<u>3.2.1 High Pressure and High Temperature installation (HPHT)</u> .....	50
---	----

<u>3.2.2 Optically accessible single cylinder engine</u> .....	52
--	----

<u>3.3 Optical techniques for the study of spray and combustion phenomena</u> .....	54
---	----

<u>3.4 Summary and conclusions</u> .....	62
--	----

<u>References</u> .....	63
-------------------------	----

## **Chapter 4: Effect of fuel composition and nozzle**

<b><u>diameter on a diffusion combustion spray</u></b> .....	69
--	----

<u>4.1 Introduction</u> .....	71
-------------------------------	----

<u>4.2 Experimental methodology</u> .....	71
---	----

<u>4.2.1 Fuels and nozzles characteristics</u> .....	71
--	----

<u>4.2.2 Operating condition</u> .....	73
--	----

<u>4.2.3 Optical Set up</u> .....	74
-----------------------------------	----

<u>4.2.3.1 Schlieren Imaging</u> .....	75
--	----

<u>4.2.3.2 High-speed OH* chemiluminescence imaging</u> .....	79
---	----

<u>4.2.3.3 Diffused back illumination</u> .....	81
---	----

<u>4.3 Effect of fuel composition on global combustion parameters</u> .....	86
---	----

<u>4.3.1 The nozzle A</u> .....	86
---------------------------------	----

<u>4.3.1.1 Maximum liquid length</u> .....	87
--	----

<u>4.3.1.2 Ignition delay time</u> .....	88
--	----

<u>4.3.1.3 Spray tip and flame penetration</u> .....	90
<u>4.3.1.4 Flame Lift-off length</u> .....	94
<u>4.3.1.5 Soot production</u> .....	95
<u>4.3.2 Effect of combining different nozzle diameter on combustion behavior</u> .....	98
<b>4.4 <u>Summary and conclusions</u></b> .....	<b>108</b>
<b><u>References</u></b> .....	<b>111</b>

## **Chapter 5: Dual alternative combustion: Spray and combustion characterization of HVO-LPG blends.....115**

<b><u>5.1 <u>Introduction</u></u></b> .....	<b>117</b>
<b><u>5.2 <u>Experimental methodology</u></u></b> .....	<b>117</b>
<u>5.2.1 HVO-LPG injection system</u> .....	117
<u>5.2.2 Fuel characteristics</u> .....	118
<u>5.2.3 Operating conditions</u> .....	119
<u>5.2.4 Optical set up</u> .....	120
<u>5.2.4.1 Schlieren visualization</u> .....	120
<u>5.2.4.2 High-speed OH* chemiluminescence imaging</u> .....	121
<u>5.2.4.3 Natural luminosity</u> .....	122
<b><u>5.3 <u>Auto ignition and macroscopic characteristics</u></u></b> .....	<b>123</b>
<u>5.3.1 Ignition delay (ID)</u> .....	124
<u>5.3.2 Spray tip penetration</u> .....	126
<u>5.3.3 Lift-off length</u> .....	127
<b><u>5.4 <u>Soot formation</u></u></b> .....	<b>129</b>
<b><u>5.5 <u>Summary and conclusions</u></u></b> .....	<b>132</b>
<b><u>References</u></b> .....	<b>134</b>

<b>Chapter 6: Commercial alternative combustion: Spray and combustion characterization of gasoline-diesel blends .....</b>	<b>137</b>
<b>    6.1   Introduction.....</b>	<b>139</b>
<b>    6.2   Experimental methodology.....</b>	<b>139</b>
6.2.1 Fuel characteristics .....	139
6.2.2 Operating conditions .....	140
6.2.3 Pressure signal analysis .....	141
6.2.4 Optical Set up .....	141
6.2.4.1 High-speed OH* chemiluminescence imaging .....	142
6.2.4.2 Natural luminosity .....	142
6.2.4.3 Diffused back-illumination extinction imaging .....	143
<b>    6.3   Effect of fuel composition on global combustion parameters ....</b>	<b>144</b>
6.3.1 Auto-ignition effectiveness .....	144
6.3.2 Effect on ignition delay .....	144
6.3.3 Effect on heat release.....	146
6.3.4 Effect on Lift-off length .....	148
<b>    6.4   Effect of fuel composition on soot formation .....</b>	<b>150</b>
<b>    6.5 Summary and conclusions .....</b>	<b>154</b>
<b>References.....</b>	<b>155</b>
<b>Chapter 7: Conclusions and future works.....</b>	<b>157</b>
<b>    7.1   Introduction.....</b>	<b>159</b>
<b>    7.2   Main contributions of this thesis .....</b>	<b>160</b>
<b>    7.3   Conclusions of the experimental studies .....</b>	<b>161</b>

<u>7.3.1 Effect of fuel composition and nozzle diameter on a diffusion combustion spray</u>	161
<u>7.3.2 Dual fuel combustion of HVO-LPG blends</u>	163
<u>7.3.3 Combustion behavior of gasoline-diesel blends</u>	163
<b><u>7.4 Synthesis</u></b>	<b>164</b>
<b><u>7.3 Future works</u></b>	<b>166</b>
<b><u>References</u></b>	<b>169</b>